



OPEN DATA SUPPORT

Training Module 1.4

Introduction to metadata management



PwC firms help organisations and individuals create the value they're looking for. We're a network of firms in 158 countries with close to 180,000 people who are committed to delivering quality in assurance, tax and advisory services. Tell us what matters to you and find out more by visiting us at www.pwc.com. PwC refers to the PwC network and/or one or more of its member firms, each of which is a separate legal entity. Please see www.pwc.com/structure for further details.

Presentation metadata

Open Data Support is funded by the European Commission under SMART 2012/0107 'Lot 2: Provision of services for the Publication, Access and Reuse of Open Public Data across the European Union, through existing open data portals'(Contract No. 30-CE-0530965/00-17).

© 2013 European Commission

This presentation has been created by PwC

Authors:

**Makx Dekkers, Michiel De Keyzer, Nikolaos Loutas
and Stijn Goedertier**

Disclaimers

1. The views expressed in this presentation are purely those of the authors and may not, in any circumstances, be interpreted as stating an official position of the European Commission. The European Commission does not guarantee the accuracy of the information included in this presentation, nor does it accept any responsibility for any use thereof. Reference herein to any specific products, specifications, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favouring by the European Commission. All care has been taken by the author to ensure that s/he has obtained, where necessary, permission to use any parts of manuscripts including illustrations, maps, and graphs, on which intellectual property rights already exist from the titular holder(s) of such rights or from her/his or their legal representative.
2. This presentation has been carefully compiled by PwC, but no representation is made or warranty given (either express or implied) as to the completeness or accuracy of the information it contains. PwC is not liable for the information in this presentation or any decision or consequence based on the use of it.. PwC will not be liable for any damages arising from the use of the information contained in this presentation. The information contained in this presentation is of a general nature and is solely for guidance on matters of general interest. This presentation is not a substitute for professional advice on any particular matter. No reader should act on the basis of any matter contained in this publication without considering appropriate professional advice.

Learning objectives

By the end of this training module you should have an understanding of:

- What metadata is;
- The terminology and objectives of metadata management;
- The different dimensions of metadata quality;
- The use of controlled vocabularies for metadata;
- Metadata exchange and aggregation;
- Metadata management in Open Data Support.

Content

This module contains ...

- An explanation of what is metadata;
- An outline of the metadata lifecycle;
- An introduction to metadata quality;
- An overview of the metadata management and exchange approach implemented by Open Data Support through the Open Data Interoperability Platform.

What is metadata?

Definition, examples and reusable standards.

What is metadata?

“Metadata is structured information that describes, explains, locates, or otherwise makes it easier to retrieve, use, or manage an information resource. Metadata is often called data about data or information about information.”

-- National Information Standards Organization

<http://www.niso.org/publications/press/UnderstandingMetadata.pdf>

Metadata provides information enabling to make sense of **data** (e.g. documents, images, datasets), **concepts** (e.g. classification schemes) and **real-world entities** (e.g. people, organisations, places, paintings, products).

Examples of metadata

Label




Provides metadata on



Can



Catalogue card




Book



Dataset description (DCAT)

```
:weather1-7 a dcat:Dataset ;
dct:title "Measurements from weather stations 1-7" ;
dct:description "Data from seven weather stations
showing temperature, humidity,
wind direction and wind speed" ;
dct:modified "2013-07-01" ;
dct:publisher <http://myweather.com/id/myweather> ;
dcat:keyword "weather" ;
dcat:landingpage <http://myweather.com/stations1-7.html> ;
dcat:distribution :weatherdata-xlsx
.

:weatherdata1-7-xlsx a dcat:Distribution ;
dct:format <http://publications.europa.eu/resource/authority/file-type/XLSX> ;
dct:licence <http://creativecommons.org/licenses/CC0> ;
dcat:downloadURL <http://myweather.com/stations1-7.xlsx>
.
```




Dataset

	Temp. °C	Humidity %	Wind direction	Wind speed km/h
Station 1	18.1	60	WSW	18
Station 2	17.5	59	WSW	20
Station 3	18.2	55	SW	22
Station 4	19.0	62	SW	18
Station 5	18.0	65	WSW	19
Station 6	18.2	63	SSW	21
Station 7	17.9	61	SW	22


Two approaches for providing metadata on the Web

XML (Tree/container approach)



```
<?xml version="1.0"?>
<!DOCTYPE user SYSTEM "users.dtd">
<user>
  <student>
    <name>
      <firstname>Joe</firstname>
      <surname>Smith</surname>
      <title>Mr.</title>
      <username>smithj</username>
    </name>
    <contact>
      <address>
        <street>54 Maple Rise, Santry</street>
        <county>Dublin</county>
        <country>Ireland</country>
      </address>
      <email>smithj@dcu.ie</email>
    </contact>
    <programme active="true">
      <progame>M.Eng in Electronic Systems</progame>
      <code>MEN</code>
      <year>1</year>
    </programme>
    <module semester="2">
      <modid>EE557</modid>
    </module>
    <module semester="1">
      <modid>EE553</modid>
    </module>
  </student>
```

RDF (Triple-based approach)



```
ex:index.html dc:creator exstaff:85740 .
ex:index.html exterm:creation-date "August 16, 1999" .
ex:index.html dc:language "en" .
```

Reuse existing vocabularies for providing metadata to your resources

General purpose standards and specifications:

- **Dublin Core** for published material (text, images), <http://dublincore.org/documents/dcmi-terms/>
- **FOAF** for people and organisations, <http://xmlns.com/foaf/spec/>
- **SKOS** for concept collections, <http://www.w3.org/TR/skos-reference>
- **ADMS** for interoperability assets, <http://www.w3.org/TR/vocab-adms/>

Specific standard for datasets:

- **Data Catalog Vocabulary DCAT**, <http://www.w3.org/TR/vocab-dcat/>

Specific usage of DCAT and other vocabularies to support interoperability of data portals across Europe:

- **DCAT application profile for data portals in Europe**, http://joinup.ec.europa.eu/asset/dcat_application_profile/description

Manage your metadata

*Ensure good governance through the lifecycle of metadata
and of the data it describes.*

Metadata management is important

Metadata needs to be managed to ensure ...

- **Availability:** metadata needs to be stored where it can be accessed and indexed so it can be found.
- **Quality:** metadata needs to be of consistent quality so users know that it can be trusted.
- **Persistence:** metadata needs to be kept over time.
- **Open License:** metadata should be available under a public domain license to enable its reuse.

*The metadata lifecycle is **larger** than the data lifecycle:*

- Metadata may be **created before data is created** or captured, e.g. to inform about data that will be available in the future.
- Metadata needs to be **kept after data has been removed**, e.g. to inform about data that has been decommissioned or withdrawn.

Metadata schema

“A labelling, tagging or coding system used for recording cataloguing information or structuring descriptive records. A metadata schema establishes and defines data elements and the rules governing the use of data elements to describe a resource.”

XML
Schema

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE RDF>
- <rdf:RDF xmlns:rdfs="http://www.w3.org/2000/01/rdf-schema#"
  xmlns:rdf="http://www.w3.org/1999/02/22-rdf-syntax-ns#" xmlns:dcterms="http://purl.org/dc/terms/"
  xmlns:dcam="http://purl.org/dc/dcam/" xmlns:skos="http://www.w3.org/2004/02/skos/core#"
  xmlns:owl="http://www.w3.org/2002/07/owl#">
  - <rdf:Description rdf:about="http://purl.org/dc/terms/">
    <dcterms:title xml:lang="en">DCMI Metadata Terms - other</dcterms:title>
    <dcterms:publisher rdf:resource="http://purl.org/dc/aboutdcmi#DCMI"/>
    <dcterms:modified rdf:datatype="http://www.w3.org/2001/XMLSchema#date">2012-06-14</dcterms:modified>
  - <rdf:Description>
  - <rdf:Description rdf:about="http://purl.org/dc/terms/title">
    <rdfs:label xml:lang="en">Title</rdfs:label>
    <rdfs:comment xml:lang="en">A name given to the resource.</rdfs:comment>
    <rdfs:isDefinedBy rdf:resource="http://purl.org/dc/terms/">
    <dcterms:issued rdf:datatype="http://www.w3.org/2001/XMLSchema#date">2008-01-14</dcterms:issued>
  - <dcterms:modified rdf:datatype="http://www.w3.org/2001/XMLSchema#date">2010-10-11</dcterms:modified>
    <rdf:type rdf:resource="http://www.w3.org/1999/02/22-rdf-syntax-ns#Property"/>
    <dcterms:hasVersion rdf:resource="http://dublincore.org/usage/terms/history/#title-002"/>
    <rdfs:range rdf:resource="http://www.w3.org/2000/01/rdf-schema#Literal"/>
    <rdfs:subPropertyOf rdf:resource="http://purl.org/dc/elements/1.1/title"/>
  - <rdf:Description>
  - <rdf:Description rdf:about="http://purl.org/dc/terms/creator">
    <rdfs:label xml:lang="en">Creator</rdfs:label>
    <rdfs:comment xml:lang="en">An entity primarily responsible for making the
    resource.</rdfs:comment>
    <dcterms:description xml:lang="en">Examples of a Creator include a person, an organization, or a
    service.</dcterms:description>
    <rdfs:isDefinedBy rdf:resource="http://purl.org/dc/terms/">
    <dcterms:issued rdf:datatype="http://www.w3.org/2001/XMLSchema#date">2008-01-14</dcterms:issued>
    <dcterms:modified rdf:datatype="http://www.w3.org/2001/XMLSchema#date">2010-10-11</dcterms:modified>
    <rdf:type rdf:resource="http://www.w3.org/1999/02/22-rdf-syntax-ns#Property"/>
    <dcterms:hasVersion rdf:resource="http://dublincore.org/usage/terms/history/#creator-002"/>
    <rdfs:range rdf:resource="http://purl.org/dc/terms/Agent"/>
    <rdfs:subPropertyOf rdf:resource="http://purl.org/dc/elements/1.1/creator"/>
    <rdfs:subPropertyOf rdf:resource="http://purl.org/dc/terms/contributor"/>
    <owl:equivalentProperty rdf:resource="http://xmlns.com/foaf/0.1/maker"/>
  - <rdf:Description>
  - <rdf:Description rdf:about="http://purl.org/dc/terms/subject">
    <rdfs:label xml:lang="en">Subject</rdfs:label>
```

RDF
Schema

Designing your metadata schema with RDF Schema (RDFS) – reuse where possible

RDF schema is particularly good in combining terms from different standards and specifications.

Do not re-invent terms that are already defined somewhere else , when designing RDF schemas – **reuse** terms where possible.

- For example, the DCAT Application Profile for data portals in Europe (DCAT-AP) reuses terms from DCAT, Dublin Core, FOAF, SKOS, ADMS and others.

7.3. Dataset

7.3.1. Mandatory properties for Dataset

Property	URI	Range	Usage note	Card
description	dct:description	rdfs:Literal	This property contains a free-text account of the dataset. This property can be repeated for parallel language versions of the description.	1..n
publisher	dct:publisher	foaf:Organization	This property refers to an organisation responsible for making the dataset available.	1..1
title	dct:title	rdfs:Literal	This property contains a name given to the dataset. This property can be repeated for parallel language versions of the name.	1..n

7.3.2. Recommended properties for Dataset

Property	URI	Range	Usage note	Card
contact point	adms:contactPoint	v:VCard	This property contains contact information that can be used for flagging errors in the dataset or sending comments	0..n
dataset distribution	dcat:distribution	dcat:Distribution	This property links the dataset to an available distribution.	0..n
theme/ category	dcat:theme, subproperty of dct:subject	skos:Concept	This property refers to a category of the dataset. A dataset can have multiple themes.	0..n

7.3.3. Optional properties for Dataset

Property	URI	Range	Usage note	Card
frequency	dct:accrualPeriodicity	dct:Frequency	This property refers to the frequency at which dataset is published.	0..1
identifier	dct:identifier	rdfs:Literal	This property contains the main identifier for the dataset, e.g. the URI or other unique identifier in the context of the Catalog	0..n
keyword/	dcat:keyword	rdfs:Literal	This property contains a keyword or tag describing the dataset.	0..n

Example: description of an open dataset with the DCAT-AP

Description of the Catalogue

```
:catalog
  a dcat:Catalog ;
  dct:title "Imaginary Catalog" ;
  rdfs:label "Imaginary Catalog" ;
  foaf:homepage <http://example.org/catalog> ;
  dct:publisher :transparency-office ;
  dct:language <http://id.loc.gov/vocabulary/iso639-1/en> ;
  dcat:dataset :dataset-001 , :dataset-002 , :dataset-003 ;
  .
```

Description of the Dataset

```
:dataset-001
  a dcat:Dataset ;
  dct:title "Imaginary dataset" ;
  dcat:keyword "accountability","transparency" ,"payments" ;
  dct:issued "2011-12-05"^^xsd:date ;
  dct:modified "2011-12-05"^^xsd:date ;
  dct:publisher :finance-ministry ;
  dct:language <http://id.loc.gov/vocabulary/iso639-1/en> ;
  dcat:distribution :dataset-001-csv ;
  .
```

Description of the Distribution

```
:dataset-001-csv
  a dcat:Distribution ;
  dcat:downloadURL <http://www.example.org/files/001.csv> ;
  dct:title "CSV distribution of imaginary dataset 001" ;
  dcat:mediaType "text/csv" ;
  dcat:byteSize "5120"^^xsd:decimal ;
  .
```

Controlled vocabularies

Using thesauri, taxonomies and standardised lists of terms for assigning values to metadata properties.

What are controlled vocabularies?

A controlled vocabulary is a predefined list of values to be used as values for a specific property in your metadata schema.

- In addition to careful design of schemas, the value spaces of metadata properties are important for the exchange of information, and thus interoperability.
- Common controlled vocabularies for value spaces make metadata understandable across systems.

Which controlled vocabulary to be used for which type of property

- Use **code lists** as controlled vocabulary for free text or “string” properties.
- Example DCAT-AP property:

keyword/ tag	dcat:keyword	rdfs:Literal	This property contains a keyword or tag describing the dataset.
--------------	--------------	--------------	---

- Example code list - ObjectInCrimeClass (ListPoint)

Code	Meaning
1	Used
2	Taken Without Consent
3	Eliminated
4	Not Involved
5	Involved
6	Crime Weapon
7	Handled / Received
11	Exhibit

- Use **concepts identified by a URI** for reference to “things”.
- Example DCAT-AP property:


theme/ category	dcat:theme, subproperty of dct:subject	skos:Concept	This property refers to a category of the dataset.
--------------------	--	--------------	--

- Example taxonomy with terms having a URI - EuroVoc

```
<rdf:Description rdf:about="http://eurovoc.europa.eu/300">
  <xl:altLabel rdf:resource="http://eurovoc.europa.eu/415040"/>
  <s04:prefLabel xml:lang="da">international kredit</s04:prefLabel>
  <s04:prefLabel xml:lang="sv">internationell kredit</s04:prefLabel>
  <s04:prefLabel xml:lang="en">international credit</s04:prefLabel>
  <s04:prefLabel xml:lang="de">internationaler Kredit</s04:prefLabel>
  <s04:prefLabel xml:lang="nl">internationaal krediet</s04:prefLabel>
</rdf:Description>
```

Example – Publications Office’s Named Authority Lists

- The Named Authority Lists offer reusable controlled vocabularies for:
 - Countries
 - Corporate bodies
 - File types
 - Interinstitutional procedures
 - Languages
 - Multilingual
 - Resource types
 - Roles
 - Treaties



The screenshot displays the European Union Open Data Portal (europa.eu) interface. The page title is "European Union Open Data Portal" with a "BETA" badge. The breadcrumb trail is "Europe > Open Data Portal > Data > Publisher > Publications Office". The navigation menu includes "Home", "Data", "Applications", "Linked Data", and "About". A search bar is labeled "Search publisher...". The main content area is titled "Publications Office" and shows "(12 datasets)". The datasets listed are:

- **Roles Name Authority List**: The Roles name authority list (NAL) or authority table is a controlled vocabulary listing the roles relevant for the descriptive metadata used at the Publications Office and the core...
- **Countries Name Authority List**: The Countries name authority list (NAL) or Common Authority Table (CAT) is a controlled vocabulary listing countries with their authority code and label(s) in the 23 official languages of...
- **Places Name Authority List**: The Places name authority list (NAL) or Common Authority Table (CAT) is a controlled vocabulary listing locations relevant for the descriptive metadata used at the Publications Office and...
- **Multilingual Name Authority List**: The Multilingual name authority list (NAL) or Common Authority Table (CAT) is a controlled vocabulary listing language combinations with their authority code. The labels in the 23...
- **EuroVoc, the EU's multilingual thesaurus**: EuroVoc is a multilingual, multidisciplinary thesaurus covering the activities of the EU. It contains terms in 22 EU languages (Bulgarian, Czech, Danish, Dutch, English, Estonian,...
- **Resource types Name Authority List**: The Resource types named authority list (NAL) or Common Authority Table (CAT) is a controlled vocabulary listing resource or document types with their authority code and label(s) in the...
- **Corporate bodies Name Authority List**: The Corporate bodies name authority list (NAL) or Common Authority Table (CAT) is a controlled vocabulary listing corporate entities such as European institutions and bodies with their...
- **Languages Name Authority List**: The Languages name authority list (NAL) or Common Authority Table (CAT) is a controlled vocabulary listing languages with their authority code and label(s) in the 23 official languages of...
- **Treaties Name Authority List**: The Treaties name authority list (NAL) or authority table is a controlled vocabulary listing the different EU

The metadata lifecycle

*Creating, maintaining, updating, storing, publishing
metadata and handling deletion of data.*

Creating your metadata

Metadata creation can be supported by (semi-)automatic processes.

- Document properties generated in (office) tools, e.g. creation date.
- Spatial and temporal information captured by cameras, sensors...
- Information from publication workflow, e.g. file location or URL

However, other characteristics require human intervention:

- What is the resource about (e.g. linking to a subject vocabulary)?
- How can the resource be used (e.g. linking to a licence)?
- Where can I find more information about this resource (e.g. linking to a Web site or documentation that describes the resource)?
- How can quality information be included?

Maintaining your metadata

Approaches for maintaining metadata need to be appropriate for the type of data that is being published.

- If **data** does **not change**, **metadata** can be relatively **stable**. Changes (bulk conversions) can take place off-line when needed.
- If **data changes frequently** (e.g. real-time sensor data), **metadata** needs to be closely coupled to the data workflow and **changes** need to be practically **instantaneous**.

Updating your metadata – planning for change

Metadata operates in a global context that is subject to change!

- **Organisation** – departments are established, merge with others, responsibilities are handed over.
- **Usage of the data** – new applications emerge around data.
- **Reference data** – controlled vocabularies evolve and get linked.
- **Data standards and technologies** – technology lifecycle is getting shorter all the time; what will tomorrow's Web look like?
- **Tools and systems** – evolution of storage, bandwidth, mobile...

Metadata needs to be kept up-to-date to the extent possible, taking into account the available time and budget.

Storing your metadata – what are the options?

Depending on operational requirements, metadata can be embedded with the data or stored separately from the data.

- Embedding the metadata in the data (e.g. office documents, MP3, JPG, RDF data) embedding makes data exchange easier.
- Separating metadata from data (e.g. in a database), with links to corresponding data files makes management easier.

Depending on the availability of tools and requirements on performance and capacity, metadata can be stored in a **‘classic’ relational database** or an **RDF triple store**.

Handling deletions of data

In many cases, metadata must survive even after deletion of the data it describes.

Decommissioning or deletion of data happens, for example:

- When data is no longer necessary.
- When data is no longer valid.
- When data is wrong.
- When data is withdrawn by the owner/publisher

In that case the metadata should, **contain information** that the data was **deleted**, and if it was **archived**, how and where an **archival copy** can be **requested**.

Publishing your metadata – what are the options?

- ‘Open’ publication: direct access on URIs
 - This is the option most in line with the vision of Linked Open Data and allows the ‘follow-your-nose’ principle.
- Make your metadata available through a **SPARQL endpoint**
 - This allows external systems to send queries to an RDF triple store.
 - Requires knowledge about the schema used in the triple store.
- Deferred publication: access to exported file in RDF
 - Produced by converting non-RDF data to RDF.
 - Allows off-line bulk harvesting and caching of data collections.
 - Allows implementation of access control.

See also:

<http://www.slideshare.net/OpenDataSupport/licence-your-data-metadata>

Metadata quality

The quality and completeness of the description metadata of your datasets, directly infect their searchability and reuse.

Metadata quality is about... (1/3)

- The **accuracy** of your metadata - are the characteristics of the resource correctly reflected?
 - *e.g. indicating the right title, the right license, the right publisher enables users to discover resources that they need.*
- The **availability** of your metadata – can the metadata be accessed now and over time into the future?
 - *e.g. making it available for indexing and downloading, and include it in in a regular back-up process.*
- The **completeness** of your metadata – are all relevant characteristics of the resource captured (as far as practically and economically feasible and necessary for the application)?
 - *e.g. indicating the license that governs reuse or the format of the distribution enables filters on those aspects.*

See also:

<http://www.slideshare.net/OpenDataSupport/open-data-quality>

Metadata quality is about ... (2/3)

- The **conformance** of your metadata to accepted standards – is the metadata conforming to a specific metadata standard or an Application Profile?
 - *e.g. following standards and common specifications enables exchange of metadata across portals.*
- The **consistency** of your metadata – does the data not contain contradictions?
 - *e.g. not having multiple and contradictory license statements for the same piece of data*
- The **credibility** and **provenance** of your metadata – is the metadata based on trustworthy sources?
 - *e.g. linking to reference data published and managed by a stable organisation (e.g. the EU Publications Office)*

Metadata quality is about ... (3/3)

- The **processability** of the metadata – is the metadata properly machine-readable?
 - *e.g. using references to concepts rather than using free text.*
- The **relevance** of the metadata – does the metadata contain the right amount of information for the task at hand?
 - *e.g. limit the information to optimally serve the users' needs.*
- The **timeliness** of your metadata – is the metadata corresponding to the actual (current) characteristics of the resource and is it published soon enough?
 - *e.g. indicating the last modification date of the resource enables searches to be filtered on changes after a certain date; making sure the metadata is fresh so that users will see the latest information*

Exchanging metadata

Mapping your metadata to a common metadata vocabulary and exchanging the metadata across platforms.

Homogenising metadata


When exchanged between systems, metadata should be mapped to a common model so that the sender and the recipient share a common understanding on the meaning of the metadata.

- On the **schema level** metadata coming from different sources can be based on **different metadata schemas**, e.g. DCAT, schema.org, CERIF, own internal model...
- On the **data (value) level**, the metadata properties should be assigned values from **different controlled vocabularies** or **syntaxes**, e.g.:
 - Language: English can be expressed as <http://publications.europa.eu/resource/authority/language/ENG> or as <http://id.loc.gov/vocabulary/iso639-1/en>
 - Dates: ISO8601 (“20130101”) versus W3C DTF (“2013-01-01”)

Example: Homogenising metadata about datasets

The DCAT Application Profile for data portals in Europe

The DCAT-AP can be used as the common model for exchanging metadata with open data platforms across Europe and/or with a data broker (e.g. The Open Data Interoperability Platform - ODIP).



See also:

http://joinup.ec.europa.eu/asset/dcat_application_profile/home

Mapping example – data.gov.uk

Scottish Road Accident Statistics *dct:title (Dataset)*

Data about injury road accidents, accident costs, vehicles involved, drivers and riders, drink-drive accidents, drivers breath tested, casualties and international comparisons.



Source agency: Scottish Government

Designation: National Statistics

Language: English *dct:language*

Alternative title: Scottish Road Accident Statistics

dct:description

Licence *dct:license*

UK Open Government Licence (OGL)

Data Resources **2**

Key statistics for 2007

2007 Volume

dct:title (Distribution)

Details Download ▾
Details Download ▾

dcat:accessURL

*dcat:downloadURL, dct:issued,
dct:format, dct: description*

Additional Information

Openness score	☆☆☆☆☆
Geographic coverage	Scotland <i>dct:spatial</i>
National statistic	yes
ONS Category	Travel and Transport <i>dct:theme</i>
Temporal coverage	No value <i>dct:temporal</i>
Date added computed	No value
Date updated computed	No value

dct:publisher

Publisher

Scottish Government

Enquiries:

No details supplied

FOI Contact:

• Web:

<http://www.whatdotheyknow.com...>

adms:contactPoint

Tags

- accident
- health-well-being-and-care
- road
- road-accidents
- road-safety
- roads
- safety
- transport
- transport-accidents-and-casualties
- travel-and-transport


dcat:keyword

About this dataset

- Added to data.gov.uk: 10/12/2011 *dct:issued*
- Modified on data.gov.uk: 10/06/2013 *dct:modified*
- History of changes
- JSON, API and URI for developers


Do more with this data

- Share your app
- Share an idea
- Request new data



What can the Open Data Interoperability Platform do?

- **Harvest** metadata from an Open Data portal.
- **Transform** the metadata to RDF.
- **Harmonise** the RDF metadata produced in the previous steps with DCAT-AP.
- **Validate** the harmonised metadata against the DCAT-AP.
- **Publish** the description metadata as Linked Open Data.



See also:

<http://www.slideshare.net/OpenDataSupport/promoting-the-re-use-of-open-data-through-odip>

Conclusions

- Metadata provides information on your data and resources. The quality of the metadata directly affects the discoverability and reuse of your the resources.
- A structured approach should be followed for metadata management.
- The metadata lifecycle extends the lifecycle of datasets (metadata before publication and after deletion).
- Homogenised metadata enable the operation of metadata brokers, which can in turn lower the access barriers to your resources, leading to improved visibility and discoverability, and thus increasing their reuse potential.

Group exercise and questions



<http://www.visualpharm.com>

In groups of two, select one dataset from your country and describe it with the DCAT Application Profile.



<http://www.visualpharm.com>

Does your organisation have a minimum set of metadata to be provided together with Open Data?



<http://www.visualpharm.com>

What would be the main barriers, according to you, for the (re)use of standard controlled vocabularies in your metadata?



<http://www.visualpharm.com>

Do you have any data and/or metadata governance methodology at the corporate level?

Thank you!
...and now YOUR questions?

References

Slide 6:

- NISO. Understanding Metadata. <http://www.niso.org/publications/press/UnderstandingMetadata.pdf>

Slide 8:

- Dublin City University. Chapter 3: Introduction to XML. <http://wiki.eeng.dcu.ie/ee557/g2/326-EE.html>
- W3C. RDF Primer. <http://www.w3.org/TR/rdf-primer/>

Slide 11:

- http://gondolin.rutgers.edu/MIC/text/how/catalog_glossary.htm
- Dublin Core. Example XML Schema. <http://dublincore.org/schemas/xmls/qdc/dc.xsd>
- Dublin Core, Example RDF Schema. <http://dublincore.org/2012/06/14/dcterms.rdf>

Slide 11, 30-32:

- The ISA Programme. DCAT Application Profile for Data Portals in Europe - Final Draft. https://joinup.ec.europa.eu/asset/dcat_application_profile/asset_release/dcat-application-profile-data-portals-europe-final-draf

Slide 17:

- ListPoint. ObjectInCrimeClass. <http://www.listpoint.co.uk/CodeList/details/ObjectInCrimeClass/1.2/1>

Slide 17-18:

- European Data Portal. <http://open-data.europa.eu/en/data/dataset?q=Name+Authority+List&op=>
- Publications Office. Countries Name Authority List. <http://open-data.europa.eu/en/data/dataset/2nM4aG8LdHG6RBMumfkNzQ>

Further reading



Understanding Metadata, NISO.

<http://www.niso.org/publications/press/UnderstandingMetadata.pdf>



Ben Jareo and Malcolm Saldanha. The value proposition of a metadata driven data governance program. Best Practices Metadata. May 2012.

https://community.informatica.com/mpresources/Communities/IW2012/Docs/bos_30.pdf



John R. Friedrich, II. Metadata Management Best Practices and Lessons Learned. The 10th Annual Wilshire Meta-Data Conference and the 18th Annual DAMA International Symposium. April 2006.

<http://www.metaintegration.net/Publications/2006-Wilshire-DAMA-MetaIntegrationBestPractices.pdf>

Related initiatives



Metadata Management. Trainer screencasts, <http://managemetadata.com/screencasts/msa/>



MIT Libraries. Data Management and Publishing. Reasons to Manage and Publish Your Data, <http://libraries.mit.edu/guides/subjects/data-management/why.html>



ISA Programme. DCAT Application Profile for European Data Portals, https://joinup.ec.europa.eu/asset/dcat_application_profile/description



Generating ADMS-based descriptions of assets using Open Refine RDF, <https://joinup.ec.europa.eu/asset/adms/document/generate-adms-asset-descriptions-spreadsheet-refine-rdf>



The Dublin Core Metadata Initiative, <http://dublincore.org/>

Be part of our team...

Find us on



[Open Data Support](http://www.slideshare.net/OpenDataSupport)

<http://www.slideshare.net/OpenDataSupport>



[Open Data Support](http://goo.gl/y9ZZI)

<http://goo.gl/y9ZZI>

Follow us



[@OpenDataSupport](https://twitter.com/OpenDataSupport)

Join us on



joinup

<http://www.opendatasupport.eu>

Contact us

contact@opendatasupport.eu